



POWER INTERNATIONAL

(An ISO 9001-2015 Certified Co.)



RELIABLE FASTENING SOLUTION

POWER International Works as a leading supplier of Fasteners with a history of over two decades, exceeding our customers expectations, **POWER INTERNATIONAL** is now serving thousands of customers in India and around the world. Every step, which has been taken to lead our Company into the new era of technology with increasing demands of the customers.



Why PRT

- Imported Machines of USA & Japan.
- Specialization in Critical Components
- Custom Solutions
- Timely Deliveries
- Experienced Team
- Product range M6 to M72

Material Grade:

Stainless Steel : 202, 304, 304L, 316, 316L
Carbon Steel : 4.6, 5.6, 8.8, 10.9, 12.9



SCAN ME

www.powerintl.in



POWER INTERNATIONAL

(An ISO 9001-2015 Certified Co.)

PRODUCTS : Our product range covers all types of fasteners such as bolts, nuts, washers, studs etc. We Provide national and international standards. We welcome non-standard components and customize specifications according to customer's requirement.



JCB Bolts



S Head Bolts



Wheel Bolts



Ball Stud



HEX BOLT
DIN 931/ 151363
Size: M4 to M48, 1/8" to 2"



FLANGE BOLT
DIN 6921
Size: M4 to M20



CARRIAGE BOLT
DIN 603
Size: M5 to M20



FALA BOLT
Size: 3/8" x 1" to 3/8" x 4"



U BOLT
DIN 3570
Size (IS): M6 to M39, 1/4" to 1.1/2"



ROAD CRASH BARRIER BOLT
Size M16 x 35mm / M16 x 40mm



SQUARE HEAD BOLT
Size M8 to M24



STRUCTURAL BOLT
Size: M8 to M72



T BOLT
Size (IS): COSTOMIZE



HUB BOLT
Size M8 to M20



SMALL EYE BOLT
DIN 444
Size: M6 to M24



DOME HEAD BOLTS
Size: M4 to M24



ANTI THEFT BOLT & NUT
Size: M5 to M12



EYE BOLT
DIN 580
Size M6 to M39



THREADED ROD
DIN 975
Size: M3 to M64, 3/16" to 2"



B7 STUD
Size: M6 to M72



REDUCED HEAD KNURLED BODY
Open End-Imperial Hole Size*
Size (IS): M2 to M24, 5/16" to 5/8



**SOCKET HEAD CAP SCREW/
ALLEN CAP** DIN 912
Sue M2 to M34 3/16" to 1



ALLEN CSK
DIN 7991 ISO 10642
Size M3 to M24 3/16" to 5/8"



**SOCKET BUTTON HEAD
SCREW**
Size: M3 to M20



ROUND RIVET
Size M2 to M12



FLAT RIVET
Size: M2 to M12



POP RIVETS
Size: M3 to M6



ANTI THEFT NUT
Size: M6 to M39



SQUARE WELD NUT
DIN 928
Size M4 to M16



HEX NUT
DIN 934/ANSI B18.2.4.1M
Size: M16 to M100, 1/8" to 2"



LOCK NUT
DIN 439/ISO 7042
Size: M6 to M36, 1/4" to 2"



NYLOCK NUT
DIN 982
Size: M2 to M45, 3/16" to 1.1/2"



DOME NUT
DIN 1587
Size: M3 to M24, 1/4" to 1



FLANGE NUT
DIN 6923
Size: M3 to M16



SQUARE NUT
DIN 557
Size: M3 to M16



WING NUT
DIN 315
Size (IS): M4 to M24, 1/4" to 1"



PIN TYPE ANCHOR BOLT
Size: M6 to M24



HEAVY HEX NUT
Size: M6 to M72



WHEEL NUT
Size: M6 to M24



CAGE NUT
Size M3 TO M12



POWER INTERNATIONAL

(An ISO 9001-2015 Certified Co.)



HEXAGON THIN NUT
Din 439, 936
Size: M6 to M100



LONG NUT
Size: M5 to M24



SLOTTED NUT
Size: M5 to M39



ANTI THEFT NUT
Size: M6 to M 39



INTERNAL CIRCLIP
DIN 472
Size: M4 to M100



EXTERNAL CIRCLIP
DIN 471
Size: M4 to M100



SLEEVE ANCHOR FASTENER
Size: M6 to M24



DOWEL PIN
DIN 6325
Size: Dia 2 to 6



THREADED ROD BAR
Size: M3 to M64



BIG OD WASHER
DIN 9021
Size: M2 to M48



TAPER WASHER
DIN 434
Size: M6 to M30




CONICAL WASHER
Size: M20 to M24



PLAIN WASHER
DIN 125
Size: M1.6 to M60



SPRING WASHER
DIN 127 IS 3063
Size: M1.6 to M60



STAR WASHER
DIN 6797
Size: M3 to M24



TOOTH WASHER
DIN 6798
Size: M3 to M24




SPLICE WASHER
Size : 75 x 45 x 4 mm



HSFG / Structure Bolts



Carriage Bolts



Foundation Bolt



POWER International

(An ISO 9001:2015 Certified Co.)

Mfrs. All Type of Fasteners, **Spl.** Socket Head alt Bolt & Cold Forging Parts
E-246 A Phase IV-A, Focal Point, Ludniana. 141010 Punjab (INDIA)

Ph. No 98557-12587, 95015-12187, 98728-82587

E-mail : powerintl@yahoo.co.in, powerinl7007@gmail.com, **Website :** www.powerintl.in

[powerinternational_](#) [powerinternational_](#) [@power_inl](#)



SCAN ME